



#53
7 Clarke Drive
Cranbury, New Jersey 08520
Telephone: (609) 409-6080
Direct Facsimile: (413) 254-9245
Main Facsimile: (609) 409-6126

RECEIVED

JUN 18 2002

TECH CENTER 1600/2900

To: Dr. Janet Epps Company: US PTO GAU 1635 Fax No: 703-305-7939

From: Viviana Amzel Date: 6/12/02 Time: _____
Direct Dial: (409) 609-3035 E-Mail: vamzel@epigene.com
Pages including this: 46 Ref. No.: USSN 09/093,972 (EPI-00672)

COMMENTS

Enclosed are the officially filed Amendment and attachments including marked up claims, clean claims, case law cited, and page 50 (marked up and clean). Thank you. Viviana

CONFIDENTIALITY NOTICE

The information in this fax transmission and the documents accompanying it contain confidential information belonging to the sender which is legally privileged. The information is intended only for the use of the individuals or entities named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this faxed information is strictly prohibited. If you have received this fax in error, please immediately notify us by telephone to arrange for return of the original documents to us.

SERIAL NO: 08/093,972

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Jonathan W. Nyce

: Art Unit: 1635

#53/K.T.
6/20

Serial No.: 09/093,972

: Examiner: Dr. Epps

Filed: June 9, 1998

: Appl. Ref. No.: EPI-00672

For: COMPOSITION, FORMULATIONS & METHOD FOR PREVENTION & JUN 1, 8, 2002
TREATMENT OF DISEASES AND CONDITIONS ASSOCIATED WITH
BRONCHOCONSTRICITION, ALLERGY(IES) & INFLAMMATION TECH CENTER 1600/2900

RECEIVED

AMENDMENT

I hereby certify that this correspondence is being faxed at 703-305-7939, to the Assistant Commissioner for Patents, Washington DC 20231 on June 12, 2002, by Rashida Haji.

R. HajiSIGNATUREAssistant Commissioner for Patents
Washington, D.C. 20231

Sir/Madam:

Responsive to the Office Action of January 22, 2002, please amend the above identified patent application as follows.

IN THE SPECIFICATION

Please amend the specification as indicated in the attached page 50. 3 - 14.5.

IN THE CLAIMS

Please delete claims 154-156, and amend the remaining claims as shown in the enclosures.

REMARKSTHE PENDING CLAIMS

Claims 108-131, 133-134, 146, 148, 151-156, 158-159, 161-173, 178-181, 184-189, 191-193, 195-198 and 200-234 are pending in this case, claims 154-156 are being canceled, and various claims are being amended hereby. Accordingly, claims 108-131, 133-134, 146, 148, 151-153, 158-159, 161-173, 178-181, 184-189, 191-193, 195-198 and 200-234 remain pending.